






**CCSS**

Similar to axial SMCC



Part No	Inductance L (µH)	f <sub>L</sub> (MHz)	Tol ± (%)	Q min	f <sub>Q</sub> (MHz)	SRF min (MHz)	DCR max (Ω)	Rated DC Current (A)
CCSS-1R0K-04	1.0	1	10	45	25.2	174	0.16	1.2
CCSS-2R2K-04	2.2	1	10	44	7.96	140	0.25	1.0
CCSS-4R7K-04	4.7	1	10	48	7.96	95	0.34	0.82
CCSS-100K-04	10	1	10	65	7.96	35	0.539	0.68
CCSS-120K-04	12	0.1	10	50	2.52	30	0.55	0.65
CCSS-470K-04	47	0.1	10	40	2.52	7.5	1.1	0.45
CCSS-101K-04	100	0.02	10	30	2.52	4.25	1.7	0.37
CCSS-471K-04	470	0.02	10	40	0.79	1.80	7.5	0.16
CCSS-102K-04	1000	0.02	10	40	0.79	1.36	14	0.13
CCSS-152K-04	1500	0.02	10	40	0.252	1.25	21.6	0.10
CCSS-182K-04	1800	0.02	10	40	0.252	1.2	24	0.095
CCSS-222K-04	2200	0.02	10	40	0.252	1.1	34.7	0.080
CCSS-472K-04	4700	0.02	10	40	0.252	0.7	74	0.055

Core Material : Ferrite

Revision date : 01 Feb 2019

SPQ : Taped / Reel 1700 [-04]